



Type: Full
Date: 04/22/24
Time: 14:18:50
Report: 1036241079

Food and Beverage Establishment Inspection Report

Location:

McAuliffe Elementary
1601 West 12th Street
Brittney Hirschauer, Fd. Ser.
Hastings, MN55033
Dakota County, 19

Establishment Info:

ID #: 0015005
Risk: Medium
Announced Inspection: No

License Categories:

FAIF, FBLB, HOSP, FBSC, FBC2
Expires on: 12/31/24

Operator:

Ind. School District No. 200
Phone #: 6514807422
ID #: 16838

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

The following orders were issued during this inspection.

4-300 Equipment Numbers and Capacities

4-302.14 \*\* Priority 2 \*\*

MN Rule 4626.0715 Provide an appropriate test kit to accurately measure sanitizing solutions. THE QUAT TEST STRIPS FOR TESTING THE QUAT SANITIZER SOLUTION ARE EXPIRED. PROVIDE AND MAINTAIN. Comply By: 05/22/24

Surface and Equipment Sanitizers

QUATERNARY AMMONIA: = 400PPM at Degrees Fahrenheit
Location: SANITIZER BUCKET
Violation Issued: No

WASH TEMP: = at Degrees Fahrenheit
Location: DISH MACHINE
Violation Issued: No

UTENSIL SURFACE TEMP: = at Degrees Fahrenheit
Location: DISH MACHINE
Violation Issued: No

FINAL RINSE TEMP: = at Degrees Fahrenheit
Location: DISH MACHINE
Violation Issued: No

Food and Equipment Temperatures

Type: Full  
Date: 04/22/24  
Time: 14:18:50  
Report: 1036241079  
McAuliffe Elementary

# Food and Beverage Establishment Inspection Report

---

Process/Item: Cold Hold/CHX NIGGETS  
Temperature: 34 Degrees Fahrenheit - Location: WALK IN COOLER  
Violation Issued: No

---

Process/Item: Cold Hold/HB EGG  
Temperature: 34 Degrees Fahrenheit - Location: WALK IN COOLER  
Violation Issued: No

---

Process/Item: Ambient Temp  
Temperature: -4 Degrees Fahrenheit - Location: WALK IN FREEZER  
Violation Issued: No

---

Process/Item: Cold Hold/MILK  
Temperature: 36 Degrees Fahrenheit - Location: BEVERAGE AIR MILK COOLER 1  
Violation Issued: No

---

Process/Item: Cold HoldMILK  
Temperature: 34 Degrees Fahrenheit - Location: BEVERAGE AIR MILK COOLER 2  
Violation Issued: No

---

---

Total Orders	In This Report	Priority 1	Priority 2	Priority 3
		0	1	0

UNANNOUNCED FULL OPERATIONAL INSPECTION WAS CONDUCTED BY JEFF JOHANSON.

**DISCUSSED:**

- EMPLOYEE ILLNESS LOG AND EXCLUSION POLICY.
- THERMOMETER USAGE.
- RECEIVING TEMPERATURES.
- SANITIZER USE AND TEST KITS.
- HANDWASHING/GLOVE USAGE.
- PEST CONTROL.

**\*\*IF ANY STUDENTS OR STAFF COMPLAIN OF ILLNESS, CONTACT THE MINNESOTA DEPARTMENT OF HEALTH AND PROVIDE THE FOODBORNE ILLNESS HOTLINE PHONE NUMBER TO THE CUSTOMER. THE FOODBORNE ILLNESS HOTLINE PHONE NUMBER IS 1-877-366-3455.**

**\*ALWAYS CONTACT SANITARIAN OR MDH PLAN REVIEW PRIOR TO ANY MODIFICATIONS, REMODELING OR CONSTRUCTION.\***

Type: Full  
Date: 04/22/24  
Time: 14:18:50  
Report: 1036241079  
McAuliffe Elementary

# Food and Beverage Establishment Inspection Report

**NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.**

I acknowledge receipt of the inspection report number 1036241079 of 04/22/24.


Certified Food Protection Manager DIANE PETERSON

Certification Number: FM65889 Expires: 12/19/24

**Inspection report reviewed with person in charge and emailed.**

Signed: \_\_\_\_\_

DIANE PETERSON  
KITCHEN MANAGER

Signed:  \_\_\_\_\_

Jeff Johanson